

Technical data sheet

ELECTRIC
ICE RESURFACER

engo

ice arena equipment

ENG



IceTiger

DESIGNED FOR
HIGH-LEVEL MULTI-PURPOSE
ICE STADIUMS



Ice fields up to
3.000 m²



Blade width
2.300 to 2.500 mm



Snow tank volume
3,6 m³ (compr. 4,2 m³)



Water tank volume
1.100 L

Technical data sheet

ELECTRIC ICE RESURFACER



IceTiger

THE POWER PACKAGE

Proven, now even better!

The high-tech ice resurfacing machine IceTiger covers every possible requirement and offers everything, you'd expect from a high-quality machine for top-level ice sport championships. Thanks to its big capacities, it is the ideal ice resurfacer to create a perfect ice surface in a few minutes - even for big speed ice-skating ovals. In addition to its extraordinary power, the IceTiger scores with its ergonomically designed driver cockpit with an easily reachable proportional joystick.

DESIGNED FOR
**HIGH-LEVEL MULTI-PURPOSE
ICE STADIUMS**



KEY FACTS

	ICE FIELDS	up to 3.000 m ²
	DIMENSIONS L X W X H *	4.000 x 2.420 x 2.300 mm
	BLADE WIDTH	2.300 to 2.500 mm
	WATER TANK VOLUME	1.100 L
	SNOW TANK VOLUME	3,6 m ³ (compressed 4,2 m ³)
	BATTERY	battery depending on choice


POWER FOR FULLY ELECTRIC OPERATION

- Low-maintenance battery
 - Maintenance-free battery
 - Lithium batteries
-
- Each with matching charger















* Length x width x height

KEY FACTS

Technical specifications



RANGE OF ELECTRIC ICE RESURFACERS

ICE EDGER	<p>IceDingo</p> <ul style="list-style-type: none"> • Application: Ice field boarders • Blade width: 360 mm • Dimensions: 1.400 x 470 x 1.200 mm * 	 
SMALL ICE RINKS (INDOOR AND OUTDOOR)	<p>IceFox</p> <ul style="list-style-type: none"> • Application: Ice fields up to 800 m² • Blade width: 1.400 mm • Dimensions: 3.000 x 1.500 x 1.700 mm * 	 
	<p>IcePuma</p> <ul style="list-style-type: none"> • Application: Ice fields up to 1.200 m² • Blade width: 1.700 mm • Dimensions: 3.500 x 1.830 x 1.900 mm * 	 
HIGH-LEVEL MULTI-PURPOSE ICE STADIUMS	<p>IceWolf SMART / CLASSIC / PRO</p> <ul style="list-style-type: none"> • Application: Ice fields up to 1.800 m² • Blade width: 2.000 to 2.300 mm • Dimensionen: 4.060 x 2.150 x 2.200 mm * 	 
	<p>IcePanther</p> <ul style="list-style-type: none"> • Application: Ice fields up to 2.500 m² • Blade width: 2.000 to 2.300 mm • Dimensions: 4.260 x 2.150 x 2.200 mm * 	 
	<p>IceTiger</p> <ul style="list-style-type: none"> • Application: Ice fields up to 3.000 m² • Blade width: 2.300 to 2.500 mm • Dimensions: 4.000 x 2.420 x 2.300 mm * 	 
VERY LARGE ICE STADIUMS	<p>IceLion</p> <ul style="list-style-type: none"> • Application: Ice fields up to 7.000 m² • Blade width: 2.500 mm • Dimensions: 4.600 x 2.660 x 2.350 mm * 	 

* Length x width x height



ice arena equipment

Website: www.engo-ice.cn

Hotline: 4009001881




**ICE RESURFACERS
DASHER BOARDS
ACCESSORIES**

*Powerful technology for
smooth ice surfaces since 1979*

*Specifications are subject to change.
For current product information
please contact the Engo Company.*

© Copyright by Engo



CERTIFICATION



LEGAL NOTICE
Editor: Engo GmbH / S.r.l., Via Forch 9, 39040 Varna (BZ) Italia
Pictures: Archive Engo, Photographer: City-Press GmbH Picture agency, mm design, Christof Schirner, FOTO KLICK, Hannes Niederkoller,
Varna Antonello, Exide Technologies, ROYPOW Industrial Park, Adobe Stock – www.stock.adobe.com; Sportpoint, Gorodenkoff Productions OU, sidorevstock,
Von 103ttn, Sidijk / MdJ., www.shutterstock.com; iStock – www.istockphoto.com; il-graphics, JuSun, BongkarnThanyakij, daboost, Design by almedes.bz